

Food and Drug Administration 9200 Corporate Boulevard Rockville MD 20850

MAY 12 2006

Atrium Medical Corporation c/o Mr. Joseph P. De Paolo VP Regulatory and Clinical Affairs 5 Wentworth Drive Hudson, NH 03051

Re:

K060396

iVena Vascular Patch

Regulation Number: 21CFR 870.3470

Regulation Name: Intracardiac Patch or Pledget

Regulatory Class: II (two)
Product Code: DXZ
Dated: February 10, 2006

Received: February 15, 2006

Dear Mr. De Paolo:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the <u>Federal Register</u>.

## Page 2 – Mr. Joseph P. De Paolo

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050. This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please contact the Office of Compliance at (240) 276-0120 Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR Part 807.97). You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its Internet address <a href="http://www.fda.gov/cdrh/industry/support/index.html">http://www.fda.gov/cdrh/industry/support/index.html</a>.

Sincerely yours,

Bram D. Zuckerman, MD

Donna R. Lochnel

Director

Division of Cardiovascular Devices

Office of Device Evaluation

Center for Devices and

Radiological Health

**Enclosure** 

## **Indications For Use**

510(k) Number (if known): <u><b>K060</b></u>	16	
Device Name: Atrium Medical iVena	Vascular Patch	
Indications For Use:		
The iVena Vascular Patch is indica system.	ited for use in the repa	air and closure of the vascular
	er Man	
Prescription UseX	AND/OR	Over-The-Counter Use
(Part 21 CFR 801 Subpart D)	(21 CFR 807 Subpart C)	
EASE DO NOT WRITE BELOW THIS	LINE-CONTINUE O	N ANOTHER PAGE IF NEED
Concurrence of CDRH,	Office of Device Eva	aluation (ODE)
(Division Sign-Off) Division of Cardiova	scular Devices	Page 1 of1
510(k) Number <u>Y</u> 0	60396	